#### CHLORIDE

by (signify

#### **TruPath** exit & emergency family





Purposely designed for savings and convenience

### Save now without sacrificing later

When exit and emergency lighting is so essential that building codes require it, why risk the unknown by using an inferior product? **TruPath** provides both savings and reliability.

For over 45 years, Chloride products have been synonymous with reliable, high-quality exit and emergency lighting solutions. TruPath continues this legacy. With TruPath, you can rest assured that your clients will save without sacrificing what matters most.

Chloride TruPath LED exit and emergency products were completely designed around LEDs and feature slim profiles that blend into office applications, yet are rugged enough for industrial environments too.

#### Designed to simplify -

One family for all of your applications makes your job easier. Whether commercial or industrial, wet or dry location, TruPath is your comprehensive solution.

#### Designed to be slim and save -

These units are sleek and lightweight, making them unobtrusive, while saving time and money through hassle-free installation and low maintenance.

#### Designed for long-term reliability -

When time is of the essence, don't sacrifice on quality. Trust the leader in dependability.






# Many applications, **one family**


Whether you need an exit, combo, or emergency unit, and whether your application is commercial or industrial, this family has you covered. The sleek profile blends easily into commercial spaces, while its optional ETL wet location listing and tamper-proof design are suitable for industrial environments as well.



# discreet







Unit - 40% smaller - 427 in<sup>3</sup> overall footprint compared to a leading competitor at 714 in<sup>3</sup>

Actual Exit size - Depth 2.4"

## Slimmed down for savings

While some manufacturers are just putting LEDs into traditional products, the TruPath LED exit and emergency family was specifically designed with LEDs in mind. This design engineering resulted in sleek, lightweight products that simplify installation, saving time and money. These smaller products also perform better than those not designed for LEDs. The comparisons above show the size difference between a leading competitor vs. TruPath.



### Convenience without sacrificing confidence

	TruPath exit/unit combo performance										
	Industrial Application - single coverage Space: 200' x 200' x 30' - 10/10/10			age	Commercial application – single coverage 80/50/20						
Source	Mtg Ht	Path of Egress						Path of Egress			
		Width	L	ength		Mtg Ht	Ceiling	Ht	Widt	h	Length
6W LED wall mounted		3'		32'					3'		36'
		6'		27'	8'	9'		6'		36'	
	8'	10'		20'					10'		28'
244lm/lamp		18'		4'		10'	12'		3'		28'
1FC avg	10'	6'		20'	1			12' 6'		24'	
		10'		12'					10'		18'
	Size comparison										
Product				Depth		Height		Length			Weight
TruPath exit/unit combo				2.63"		10.38"		13.80"			8.6 lbs
Competitor 1				3.87"		12.62"		13.25"		N	lot published

Data collected from competitor websites at time of publication and subject to change without notice.

8

#### Chloride TruPath LED exit/unit combo TPC

TruPath LED emergency exit/ unit combo TPC isn't merely a clear, reliable beacon during troubled times; it's a path to installation and maintenance efficiencies. We got rid of unwanted bulk and weight for fast installation and added standard self-diagnostics and optional self test circuitry for significant maintenance efficiencies. Higher lumen output means wider coverage from a single exit/unit combo.



- 2.6" profile specifically designed around LED technology
- 8.6 lb lightweight construction for hassle-free installation
- Pre-aimed concealed lamp heads save time during installation and ensure ideal lamp coverage
- · Compact nickel metal hydride battery
- Standard Intelli-Charge self-diagnostics and optional self-test circuitry.
- Smaller design plus wider single coverage (see chart to the left for details)
- · Suitable for both commercial and industrial applications
- TPC exit/unit combo is ETL Listed per UL 924 Standard for dry/ damp locations (standard) and wet location listed as an option



# Half the size, same visibility

	Size comparison							
Product	Depth	Height	Length	Weight				
TruPath exit sign	2.46"	8.75"	14.60"	3.3 lbs				
Competitor 1	3.87"	9.18"	13.25"	Not published				
Competitor 2	3.80"	8.35"	13.72"	Not published				
Competitor 3	5.25"	12.37"	16.62"	Not published				

Data collected from competitor websites at time of publication and subject to change without notice.

#### Chloride TruPath LED exit sign TPE

#### TruPath LED exit sign TPE

has a sleek, low-profile design that imparts quiet confidence during tense circumstances. Smaller and more lightweight than a typical industrial exit sign, the TPE is much more discreet. At 35-50% the depth of competitive units (see chart to the left), it still offers the same visibility and dependability with less intrusion into your space.



- 2.4" profile specifically designed around LED technology
- 3.3 lb lightweight construction for hassle-free installation
- Compact nickel cadmium battery
- Standard Intelli-Charge self-diagnostics and optional self-test circuitry
- Interchangeable face plates
- Suitable for both commercial and industrial applications
- TPE exit sign is ETL Listed per UL 924 Standard for dry/damp locations (standard) and wet location listed as an option

# Hiding in plain sight

TruPath emergency unit performance									
Space: 20	0' x 200' >	c 30' – 10/	6' Corridor - 80/50/20						
Wall moun	t		Wall mou	Int	Ceiling mount				
Mtg Ht						7.5'			
Spacing						80'			
Mtg Ht	8'	10'	12'	16'	20'	8'	9'	10'	
Spacing	88'	70'	65'	60'	55'	77'	95'	95'	
Size comparison									
	Wall moun Mtg Ht Spacing Mtg Ht	Wall mount   Mtg Ht   Spacing   Mtg Ht   8'	Space: 200' x 200' x 30' - 10/Wall mountMtg HtSpacingMtg Ht8'	Mtg Ht       -       -         Spacing       - <t< td=""><td>Space: 200' x 200' x 30' - 10/10/10         Wall mount         Mtg Ht           Spacing           Mtg Ht       8'       10'       12'</td><td>Space: 200' x 200' x 30' - 10/10/10       Wall mount     Image: Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"       Mtg Ht     Image: Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"       Mtg Ht     Image: Colspan="3"&gt;Spacing     Image: Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"&gt;Colspan="3"       Mtg Ht     8'     10'     12'     16'     20'       Spacing     88'     70'     65'     60'     55'</td><td>Space: 200' x 200' x 30' - 10/10/10       6' Corrie         Wall mount       Wall mount       Wall mount         Mtg Ht       Image: Correct Corret Correct</td><td>Space: 200' x 200' x 30' - 10/10/10     6' Corridor - 80/5       Wall mount     Wall mount     Wall mount       Mtg Ht     Image: Spacing     <t< td=""></t<></td></t<>	Space: 200' x 200' x 30' - 10/10/10         Wall mount         Mtg Ht           Spacing           Mtg Ht       8'       10'       12'	Space: 200' x 200' x 30' - 10/10/10       Wall mount     Image: Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3"       Mtg Ht     Image: Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3"       Mtg Ht     Image: Colspan="3">Spacing     Image: Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3"       Mtg Ht     8'     10'     12'     16'     20'       Spacing     88'     70'     65'     60'     55'	Space: 200' x 200' x 30' - 10/10/10       6' Corrie         Wall mount       Wall mount       Wall mount         Mtg Ht       Image: Correct Corret Correct	Space: 200' x 200' x 30' - 10/10/10     6' Corridor - 80/5       Wall mount     Wall mount     Wall mount       Mtg Ht     Image: Spacing     Image: Spacing <t< td=""></t<>	

	Size comparison								
Product	Depth	Height	Length	Weight					
TruPath emergency unit	3.90"	7.04"	15.54"	7.4 lbs					
Competitor 1	5.75"	7.00"	17.75"	Not published					
Competitor 2	6.19"	6.68"	15.25"	Not published					
Competitor 3	6.04"	11.61"	9.87"	Not published					

Data collected from competitor websites at time of publication and subject to change without notice.

#### Chloride TruPath LED emergency unit TPU

#### TruPath LED emergency unit TPU

has a sleek, low-profile design that saves installation time. Additional long-term saving opportunities include standard self-diagnostics with easy-to-understand visual status confirmation, while optional monthly self-testing circuitry saves time required to verify proper functionality. Both provide significant maintenance time and cost reductions compared to nondiagnostic units. Also, higher lumen output with greater unit spacing means fewer units are necessary to meet code compliance.



- · 3.9" profile specifically designed around LED technology
- 7.4 lb lightweight construction for hassle-free installation
- · Integrated lamp heads and compact nickel cadmium battery
- Standard Intelli-Charge self-diagnostics and optional self-test circuitry
- Smaller design plus greater unit spacing (see charts to the left for details)
- Americans with Disabilities Act (ADA) compliant
- · Suitable for both commercial and industrial applications
- TPU emergency unit is ETL Listed per UL 924 Standard for dry/ damp locations (standard) and wet location listed as an option

#### Chloride TruPath LED remote unit TPR

#### TruPath LED remote unit TPR

features styling to match the rest of the TruPath family. This product is durable enough for industrial environments and stylish enough for commercial applications. Also, it is available with one or two long-lasting LED light sources.



- 3.4" profile specifically designed around LED technology
- 1.12 lb lightweight construction for hassle-free installation
- LED lamps can be adjusted 180° vertically and horizontally
- · Suitable for industrial and commercial applications
- TPR unit is ETL Listed per UL 924 Standard for dry/damp locations (standard) and wet location listed as an option

# Don't take chances, trust Chloride

To learn more about ChlorideTruPath exit and emergency products,visit **chloride-lighting.com** or contact your local representative.

**EXIT** 

-

### (s) ignify

© 2019 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners. Signify North America Corporation 200 Franklin Square Drive, Somerset, NJ 08873 Telephone 855-486-2216 Signify Canada Ltd. 281 Hillmount Road, Markham, ON, Canada L6C 2S3 Telephone 800-668-9008

PCh-1701BR\_TruPath\_brochure 02/19 www.chloride-lighting.com