

C-Splash 2

Submersible LED spotlight with intelligent color light

Date: _____
Type: _____
Firm Name: _____
Project: _____

C-Splash 2 is an ultra-thin, submersible luminaire designed to provide vibrant color and color-changing light in water to a depth of 4.6 m (15 ft). With its watertight cast brass housing and silicon bronze adjusting hardware, C-Splash 2 is perfect for water-based applications such as fountains and theme park installations, as well as for applications situated in harsh environments.

- Rugged and watertight—Cast brass housing and yoke with silicon bronze adjusting hardware is designed for submersion in water to a depth of 4.6 m (15 ft). This IP68-rated luminaire is also able to withstand water treated with bromine or chlorine.
- Two beam angles—The frosted tempered glass lens offers a soft-edge beam of light at 22°, while the clear glass lens offers extended light projection at 10°.
- Unified power and data cable—Each C-Splash 2 luminaire comes with a 18.3 m (60 ft) unified power and data cable to minimize wiring. C-Splash 2 is intended for use with PDS-150e and PDS-60 24V power/data supplies.



[Product page](#)

Beam Angle	10°, 22°
Lumens*	515 to 583
LED Channels	Red/Green/Blue

Input Voltage	24 VDC via PDS-150e or PDS-60
Power Consumption	25 W
Weight	10 kg (22 lb)
Housing Material	Cast brass
Approbations	UL/cUL, FCC Class A, CE, CQC, C-Tick, SAA
Environment	Dry/Damp/Wet, IP68
Applications	Spot Lighting

Specification Sheets

PDF Download	Beam Angle	Lumens*	Efficacy	Item Number	12 NC
10° Clear Lens	10°	583	23.3	116-000024-01	910503700617
22° Frosted Lens	22°	515	20.6	116-000024-00	910503700616

* Lumen output measurements comply with IES LM-79-08 testing procedures.



© 2019 Signify Holding. All rights reserved. Specifications are subject to change without notice. No representation or warranty as to the accuracy or completeness of the information included herein is given and any liability for any action in reliance thereon is disclaimed.

Color Kinetics
www.colorkinetics.com/ls/rgb/csplash2/