5/8/2023
Information as of this date. Please check the DLC QPL for confirmation (www.designlights.org/QPL).

Product Id	Model No.	Primary Use	Classification
S-EVJA36	LBX110L835-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-MS7IAY	LBX110L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-278N0P	LBX110L835-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-HIARME	LBX110L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-MKXA7T	LBX110L835-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-W50LVD	LBX110L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-ZIFUWH	LBX110L835-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-92G67A	LBX110L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-LN5BIK	LBX110L835-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-0AJRCD	LBX110L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-BRFSWD	LBX110L835-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-P5H0CB	LBX110L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-LZF54N	LBX110L835-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-9SWYU0	LBX110L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-MFQJ4A	LBX110L840-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-XB4GW5	LBX110L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-35QHFB	LBX110L840-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-MOE0KV	LBX110L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-071V9P	LBX110L840-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-3JE9OK	LBX110L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-RBHFAQ	LBX110L840-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-46U52Q	LBX110L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-J7DARS	LBX110L840-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-OKSUTQ	LBX110L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-7ZVA3Y	LBX110L840-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-4VUWLC	LBX110L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-I7DE98	LBX110L840-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-OZNPS1	LBX110L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-JRV0TL	LBX110L850-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-Z39VY0	LBX110L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-38B72K	LBX110L850-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-SZFJQP	LBX110L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-JAMUXN	LBX110L850-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-ITSABD	LBX110L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-2LGCFE	LBX110L850-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-6GTVO1	LBX110L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-97IX23	LBX110L850-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-M3FJSL	LBX110L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-YVEONB	LBX110L850-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-CLNXO8	LBX110L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-WEUQAP	LBX110L850-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-YP2KXC	LBX110L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-L93YXO	LBX140L835-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-GUFP6Z	LBX140L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-9ER0A1	LBX140L835-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-HB19XF	LBX140L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-P5MKNG	LBX140L835-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-G3ND7B	LBX140L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-J49C6L	LBX140L835-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-KY1ODI	LBX140L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-R37JKG	LBX140L835-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-N3MPGY	LBX140L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-OWDKXU	LBX140L835-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-76T8YE	LBX140L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-WPHQS2	LBX140L835-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-KI39AL	LBX140L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-FNAW19	LBX140L840-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-QSELWF	LBX140L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-6GCY9V	LBX140L840-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-0XV5N6	LBX140L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-LNSXZV	LBX140L840-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-F9L7UP	LBX140L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-BOSG68	LBX140L840-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-83WGA2	LBX140L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-25E4MR	LBX140L840-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-O2FYN8	LBX140L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-MCN5YV	LBX140L840-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-SIDLM0	LBX140L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-JCL2SD	LBX140L840-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-YF4NV2	LBX140L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-39U6HB	LBX140L850-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-4Z1XNQ	LBX140L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-2TQBSE	LBX140L850-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-V0897Z	LBX140L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard

5/8/2023
Information as of this date. Please check the DLC QPL for confirmation (www.designlights.org/QPL).

Product Id	Model No.	Primary Use	Classification
S-DXHJF3	LBX140L850-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-YQZH1M	LBX140L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-UW9SFK	LBX140L850-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-6HSUOT	LBX140L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-PJY2ST	LBX140L850-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-TDBF4O	LBX140L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-FEPS9I	LBX140L850-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-Z2NAVM	LBX140L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-ZDKTQE	LBX140L850-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-ETOR0F	LBX140L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-I9Z1DE	LBX180L835-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-OWZH46	LBX180L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-9VGL60	LBX180L835-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-MPKJRH	LBX180L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-1PF8ZB	LBX180L835-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-6NETKV	LBX180L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-L4D68T	LBX180L835-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-A9IRZ2	LBX180L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-UAPT4M	LBX180L835-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-RB7WL6	LBX180L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-Q10D5S	LBX180L835-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-XE1JN3	LBX180L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-JMBN04	LBX180L835-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-967CNV	LBX180L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-JF1LM5	LBX180L840-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-VT0AX5	LBX180L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-EDC4I2	LBX180L840-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-W4E96J	LBX180L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-JCX36Z	LBX180L840-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-TYCA1Z	LBX180L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-OD0LNM	LBX180L840-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-FVZKQA	LBX180L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-V8PU2Y	LBX180L840-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-YUR605	LBX180L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-VW8YFE	LBX180L840-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-HOM30A	LBX180L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-O8UKDT	LBX180L840-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-H3PE86	LBX180L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-MD6Y9H	LBX180L850-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-DPUBFK	LBX180L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-HSG60K	LBX180L850-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-V3C97Z	LBX180L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-YE79VO	LBX180L850-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-B6N1OM	LBX180L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-IJXS9R	LBX180L850-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-JEMVOH	LBX180L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-B8W9NF	LBX180L850-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-3HUPVX	LBX180L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-FRSGDI	LBX180L850-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-QGVC9M	LBX180L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-B12NIL	LBX180L850-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-V82RQ5	LBX180L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-042LSX	LBX40L835-(UNV,120.208,240,277)-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-O5V7R9	LBX40L835-(UNV,120.208,240,277)-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-8O15WN	LBX40L835-(UNV,120.208,240,277)-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-7JCGHT	LBX40L835-(UNV,120.208,240,277)-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-6E2Q1M	LBX40L835-(UNV,120.208,240,277)-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-JT082H	LBX40L835-(UNV,120.208,240,277)-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-DG643X	LBX40L835-(UNV,120.208,240,277)-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-PXEJHQ	LBX40L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-MZG8RF	LBX40L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-V2ZKHI	LBX40L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-0SUVE7	LBX40L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-TKOYF4	LBX40L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-JFOPT1	LBX40L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-0UC3AW	LBX40L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-ELRVIA	LBX40L840-(UNV,120.208,240,277)-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-MUBAHL	LBX40L840-(UNV,120.208,240,277)-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-ER4KW0	LBX40L840-(UNV,120.208,240,277)-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-EGC6YF	LBX40L840-(UNV,120.208,240,277)-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-960JQR	LBX40L840-(UNV,120.208,240,277)-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-K2SAY0	LBX40L840-(UNV,120.208,240,277)-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-V2WR3P	LBX40L840-(UNV,120.208,240,277)-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-6E7J0N	LBX40L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard

5/8/2023
Information as of this date. Please check the DLC QPL for confirmation (www.designlights.org/QPL).

Product Id	Model No.	Primary Use	Classification
S-7OA5G8	LBX40L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-5DOHLM	LBX40L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-1Q8KPM	LBX40L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-U15LPI	LBX40L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-ICFQ2T	LBX40L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-9PVL42	LBX40L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-XQ1JMU	LBX40L850-(UNV,120.208,240,277)-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-OQHECT	LBX40L850-(UNV,120.208,240,277)-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-6CHR8Y	LBX40L850-(UNV,120.208,240,277)-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-0VSX7W	LBX40L850-(UNV,120.208,240,277)-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-LMIW1C	LBX40L850-(UNV,120.208,240,277)-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-86LZJ2	LBX40L850-(UNV,120.208,240,277)-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-6KZW13	LBX40L850-(UNV,120.208,240,277)-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-9HUEOQ	LBX40L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-RKUIZ8	LBX40L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-Q8PX7G	LBX40L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-8FQREX	LBX40L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-X91HS6	LBX40L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-MNB4DI	LBX40L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-6HMWD3	LBX40L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-T4P6R2	LBX55L835-(UNV,120.208,240,277)-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-GFAEWV	LBX55L835-(UNV,120.208,240,277)-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-NQIH31	LBX55L835-(UNV,120.208,240,277)-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-2DGM8F	LBX55L835-(UNV,120.208,240,277)-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-K9YPZ8	LBX55L835-(UNV,120.208,240,277)-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-GUQ95X	LBX55L835-(UNV,120.208,240,277)-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-1ZGLAY	LBX55L835-(UNV,120.208,240,277)-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-VS7ADH	LBX55L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-12N4VF	LBX55L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-IS6CHO	LBX55L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-ZR8E4C	LBX55L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-EGTWQS	LBX55L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-1D950K	LBX55L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-LEVO7M	LBX55L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-4I3S91	LBX55L840-(UNV,120.208,240,277)-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-HGZA9D	LBX55L840-(UNV,120.208,240,277)-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-LRY6BG	LBX55L840-(UNV,120.208,240,277)-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-S8N3MH	LBX55L840-(UNV,120.208,240,277)-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-6KAPHQ	LBX55L840-(UNV,120.208,240,277)-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-078OQU	LBX55L840-(UNV,120.208,240,277)-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-6CQK89	LBX55L840-(UNV,120.208,240,277)-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-G02M5H	LBX55L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-UBC6DY	LBX55L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-Q9XJ5F	LBX55L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-PVTGSJ	LBX55L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-0A8Z71	LBX55L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-5RUXAO	LBX55L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-HG4YIE	LBX55L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-9QBU15	LBX55L850-(UNV,120.208,240,277)-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-CEUL7H	LBX55L850-(UNV,120.208,240,277)-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-CH7NZP	LBX55L850-(UNV,120.208,240,277)-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-W308BD	LBX55L850-(UNV,120.208,240,277)-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-UBCR3S	LBX55L850-(UNV,120.208,240,277)-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-24XCFJ	LBX55L850-(UNV,120.208,240,277)-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-I21KZJ	LBX55L850-(UNV,120.208,240,277)-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-4D21GW	LBX55L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-723KMI	LBX55L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-HIRB93	LBX55L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-FI3A6N	LBX55L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-NP2UT7	LBX55L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-D6M3RH	LBX55L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-E7VQN3	LBX55L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-P4RY9U	LBX70L835-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-UXG1Y9	LBX70L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-27XER0	LBX70L835-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-PJZQSY	LBX70L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-AU4TOD	LBX70L835-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-2MTIOR	LBX70L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-IJK56O	LBX70L835-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-80NLX4	LBX70L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-NO5WC8	LBX70L835-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-C3BVP0	LBX70L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-WJRBOS	LBX70L835-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-QTZXBL	LBX70L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium

5/8/2023
Information as of this date. Please check the DLC QPL for confirmation (www.designlights.org/QPL).

Product Id	Model No.	Primary Use	Classification
S-UCHBZ0	LBX70L835-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-X0ZELM	LBX70L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-CFE6DM	LBX70L840-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-B9U1GR	LBX70L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-75IATJ	LBX70L840-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-2C4XSM	LBX70L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-A1SH5V	LBX70L840-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-WMXS8B	LBX70L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-KSZB3C	LBX70L840-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-H14OID	LBX70L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-I1KP4R	LBX70L840-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-90UORH	LBX70L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-BOQERH	LBX70L840-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-L8V2QB	LBX70L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-EXWL7D	LBX70L840-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-2PLKYN	LBX70L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-FTW1VD	LBX70L850-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-71YT6G	LBX70L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-XADEFB	LBX70L850-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-Z0PW6G	LBX70L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-GJ14MA	LBX70L850-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-A3VWI7	LBX70L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-1HVWN3	LBX70L850-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-VOR1DE	LBX70L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-051UBW	LBX70L850-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-NDQASW	LBX70L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-86O5WU	LBX70L850-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-ZHTFWK	LBX70L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-A9BYZ7	LBX70L850-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-C5K9NR	LBX70L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-SYCO3B	LBX80L835-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-0UCRAE	LBX80L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-R4WZ96	LBX80L835-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-1GLOWH	LBX80L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-9PSCQ3	LBX80L835-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-HYJKZQ	LBX80L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-Q7F325	LBX80L835-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-S8POQ2	LBX80L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-W8ZG0D	LBX80L835-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-A2O4R3	LBX80L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-D5C9TR	LBX80L835-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-35O4LA	LBX80L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-03E5MY	LBX80L835-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-S1DAPB	LBX80L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-ZEYT28	LBX80L840-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-E5PLMQ	LBX80L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-46M5CL	LBX80L840-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-HBCXAW	LBX80L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-ZUVG9I	LBX80L840-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-8FOHG2	LBX80L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-CZE46O	LBX80L840-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-ZJEA6P	LBX80L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-7M5WAX	LBX80L840-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-IM9P48	LBX80L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-CD3YK0	LBX80L840-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-18U93E	LBX80L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-ZUE9S0	LBX80L840-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-C2EDP9	LBX80L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-A2U1OR	LBX80L850-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-P9IGZV	LBX80L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-T3UZDB	LBX80L850-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-93IJ20	LBX80L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-5BRIHO	LBX80L850-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-DCKVW4	LBX80L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-LXSGU1	LBX80L850-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-6SR0VG	LBX80L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-4WCIJ3	LBX80L850-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-3MIBU9	LBX80L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-O310K7	LBX80L850-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-1EO4Z2	LBX80L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-70EALV	LBX80L850-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-4MIS73	LBX80L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-E6LOPQ	LBX90L835-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-7ER8QI	LBX90L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard

5/8/2023
Information as of this date. Please check the DLC QPL for confirmation (www.designlights.org/QPL).

Product Id	Model No.	Primary Use	Classification
S-90YZOG	LBX90L835-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-EX83ZR	LBX90L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-UTOR6Q	LBX90L835-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-K13JNC	LBX90L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-FVC8XA	LBX90L835-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-4039RD	LBX90L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-W8OH0Z	LBX90L835-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-8NTH42	LBX90L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-AM0IXT	LBX90L835-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-FRT6G0	LBX90L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-YOH1FK	LBX90L835-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-JL23UP	LBX90L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-L9NFO7	LBX90L840-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-C9NJYB	LBX90L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-21AUZJ	LBX90L840-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-LCWZD7	LBX90L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-FACOGM	LBX90L840-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-TCL9RB	LBX90L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-SEM6VC	LBX90L840-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-IG4U39	LBX90L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-CUDR4O	LBX90L840-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-4FODEL	LBX90L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-L08GDU	LBX90L840-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-MSXGTC	LBX90L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-9TJLO6	LBX90L840-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-8UOGZI	LBX90L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-STQK5X	LBX90L850-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-RUB73I	LBX90L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-DXU7C4	LBX90L850-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-8JKNC9	LBX90L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-5CYTED	LBX90L850-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-LNASZ7	LBX90L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-Q9VOHD	LBX90L850-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-FLB3QH	LBX90L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-B6G1QC	LBX90L850-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-LCFBYT	LBX90L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-3RG8X9	LBX90L850-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-PL0389	LBX90L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Premium
S-ER9SNU	LBX90L850-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-NJT7ZQ	LBX90L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Direct Linear Ambient Luminaires	Standard
S-FGD8WR	LBX110L835-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-EJM1ZH	LBX110L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-WOGT04	LBX110L835-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-QCX2H1	LBX110L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-ZK4FSI	LBX110L835-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-4LKZ3W	LBX110L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-62NX04	LBX110L835-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-RQ7Z6V	LBX110L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-WEX2DZ	LBX110L835-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-XTO8SJ	LBX110L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-0RSPYU	LBX110L835-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-G2Q98T	LBX110L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-NLMFXK	LBX110L835-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-68PQFE	LBX110L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-MDGFO1	LBX110L840-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-OWV70Z	LBX110L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-6VALFJ	LBX110L840-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-B1XS35	LBX110L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-ZMUBY8	LBX110L840-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-L2YA5I	LBX110L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-WITS1J	LBX110L840-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-IZJM6C	LBX110L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-MBP158	LBX110L840-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-G2K0IL	LBX110L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-R78L5I	LBX110L840-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-YJQCE6	LBX110L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-SRONX3	LBX110L840-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-AF4OZ3	LBX110L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-4SIFAQ	LBX110L850-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-3FHWVK	LBX110L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-YFKEHJ	LBX110L850-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-3CF1Z2	LBX110L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-137SFH	LBX110L850-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-E7TKPZ	LBX110L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium

5/8/2023
Information as of this date. Please check the DLC QPL for confirmation (www.designlights.org/QPL).

Product Id	Model No.	Primary Use	Classification
S-TVA4BD	LBX110L850-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-W5SQRX	LBX110L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-5X9826	LBX110L850-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-2AJQLD	LBX110L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-59TY0D	LBX110L850-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-7HTSZY	LBX110L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-TRSZW9	LBX110L850-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-XOKRIQ	LBX110L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-BZ87WE	LBX140L835-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-BO75L3	LBX140L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-JO3C7E	LBX140L835-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-68OML7	LBX140L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-AFQRTV	LBX140L835-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-L9468D	LBX140L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-BT2CH8	LBX140L835-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-HXT0CQ	LBX140L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-WPI2X4	LBX140L835-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-MJVOP5	LBX140L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-AWB3C9	LBX140L835-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-PO1THQ	LBX140L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-JPV9AC	LBX140L835-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-QL6FV4	LBX140L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-0YXPMB	LBX140L840-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-C45MR9	LBX140L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-TFBOVP	LBX140L840-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-YCOBL9	LBX140L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-3OSYVJ	LBX140L840-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-I25P0E	LBX140L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-LZAISR	LBX140L840-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-R9XFI4	LBX140L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-UEQ4AB	LBX140L840-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-W7TAEG	LBX140L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-20NB45	LBX140L840-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-Y57GRB	LBX140L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-FQ5DVW	LBX140L840-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-M4YG3E	LBX140L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-FG3A8K	LBX140L850-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-UO26XI	LBX140L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-CMBA27	LBX140L850-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-X9CQE6	LBX140L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-QF4J8L	LBX140L850-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-ZDTQK7	LBX140L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-GJKOMB	LBX140L850-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-7NGJWK	LBX140L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-7RI5U8	LBX140L850-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-RLEC69	LBX140L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-KG4Y39	LBX140L850-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-NS1CBE	LBX140L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-YI1SZX	LBX140L850-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-2MQD5K	LBX140L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-FZ9O68	LBX180L835-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-LPOCGE	LBX180L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-MZKPE2	LBX180L835-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-XU4E56	LBX180L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-5R2JFD	LBX180L835-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-3GW6PB	LBX180L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-3CBWFN	LBX180L835-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-9S0PK2	LBX180L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-N5FMKC	LBX180L835-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-T19G5Z	LBX180L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-VXTUBY	LBX180L835-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-7HKRPU	LBX180L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-QXUDCL	LBX180L835-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-O8325L	LBX180L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-ZJRS96	LBX180L840-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-DN842T	LBX180L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-GNHQAY	LBX180L840-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-K7013E	LBX180L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-SOZ4X6	LBX180L840-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-K16Q5D	LBX180L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-IFTR3O	LBX180L840-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-GLKC87	LBX180L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-KTRWYS	LBX180L840-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-2OQBCX	LBX180L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium

5/8/2023
Information as of this date. Please check the DLC QPL for confirmation (www.designlights.org/QPL).

Product Id	Model No.	Primary Use	Classification
S-4NKMTC	LBX180L840-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-KAFRIP	LBX180L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-HXGICF	LBX180L840-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-0FKDTS	LBX180L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-R3BQ7K	LBX180L850-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-061C3M	LBX180L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-MQENG1	LBX180L850-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-RV6DCH	LBX180L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-H9QXYE	LBX180L850-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-9605EO	LBX180L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-J789I1	LBX180L850-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-TN1YDF	LBX180L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-7Q4HYV	LBX180L850-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-MG8I3N	LBX180L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-47LB3N	LBX180L850-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-4SDQHG	LBX180L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-F7830E	LBX180L850-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-GM8IY0	LBX180L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	High-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-FXK4HV	LBX55L835-(UNV,120.208,240,277)-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-508IV6	LBX55L835-(UNV,120.208,240,277)-[No optics]-FD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-W6HC7N	LBX55L835-(UNV,120.208,240,277)-[No optics]-UD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-E9CB3I	LBX55L835-(UNV,120.208,240,277)-A-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-YNT85P	LBX55L835-(UNV,120.208,240,277)-M-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-1H24KB	LBX55L835-(UNV,120.208,240,277)-N-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-6RG1EN	LBX55L835-(UNV,120.208,240,277)-W-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-PRONGS	LBX55L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-DAJ7O6	LBX55L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-6ML3JG	LBX55L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-IXB46S	LBX55L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-7LTPU0	LBX55L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-2Z4MNG	LBX55L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-HMEIZK	LBX55L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-X9IMF3	LBX55L840-(UNV,120.208,240,277)-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-093EJG	LBX55L840-(UNV,120.208,240,277)-[No optics]-FD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-06MD54	LBX55L840-(UNV,120.208,240,277)-[No optics]-UD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-2OHAL0	LBX55L840-(UNV,120.208,240,277)-A-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-FMG8CQ	LBX55L840-(UNV,120.208,240,277)-M-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-X1F7PM	LBX55L840-(UNV,120.208,240,277)-N-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-5JGPIW	LBX55L840-(UNV,120.208,240,277)-W-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-LEJ5RW	LBX55L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-4P7628	LBX55L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-NOWZ6V	LBX55L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-RJT5VW	LBX55L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-SZ0WG8	LBX55L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-9EWNT4	LBX55L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-ESRHB3	LBX55L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-VZKAGX	LBX55L850-(UNV,120.208,240,277)-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-L67A03	LBX55L850-(UNV,120.208,240,277)-[No optics]-FD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-BEDQGA	LBX55L850-(UNV,120.208,240,277)-[No optics]-UD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-1IFWHG	LBX55L850-(UNV,120.208,240,277)-A-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-C8IMHL	LBX55L850-(UNV,120.208,240,277)-M-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-DJRLF8	LBX55L850-(UNV,120.208,240,277)-N-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-PXHI5A	LBX55L850-(UNV,120.208,240,277)-W-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-1RDML6	LBX55L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-MGTFW0	LBX55L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-E7RHB9	LBX55L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-PA1DZB	LBX55L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-FT6NR9	LBX55L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-XN8M1K	LBX55L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-W83YHK	LBX55L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-3YOI4Z	LBX70L835-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-O7E5NF	LBX70L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-6J2PBA	LBX70L835-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-GK9IM4	LBX70L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-3J8NVY	LBX70L835-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-LBT0DC	LBX70L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-TYD8N3	LBX70L835-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-VE1253	LBX70L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-OPN1UR	LBX70L835-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-NDT7V6	LBX70L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-WZT53A	LBX70L835-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-KIYCEN	LBX70L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-V5L6WH	LBX70L835-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-LV75CB	LBX70L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium

5/8/2023
Information as of this date. Please check the DLC QPL for confirmation (www.designlights.org/QPL).

Product Id	Model No.	Primary Use	Classification
S-QV9P0L	LBX70L840-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-UMQLC3	LBX70L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-LR20EF	LBX70L840-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-1AKEHQ	LBX70L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-S184MO	LBX70L840-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-MW6YV4	LBX70L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-HGK1LM	LBX70L840-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-S9R41N	LBX70L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-M2AGED	LBX70L840-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-ZGAJYK	LBX70L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-1JB52Z	LBX70L840-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-5RVW2U	LBX70L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-6UONDH	LBX70L840-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-J4A72O	LBX70L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-TDYU47	LBX70L850-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-YM2JBO	LBX70L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-UCXDEB	LBX70L850-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-WCLI2E	LBX70L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-JWS84O	LBX70L850-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-O1I4QW	LBX70L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-E4LWIC	LBX70L850-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-0U21CW	LBX70L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-QACNEF	LBX70L850-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-1F4BZO	LBX70L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-OGHADP	LBX70L850-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-QXZ79N	LBX70L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-MOY3B5	LBX70L850-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-1U8AOC	LBX70L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-S0Y2K3	LBX90L835-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-3XDSJR	LBX90L835-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-MN7OJ1	LBX90L835-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-NWOF35	LBX90L835-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-U1HRWE	LBX90L835-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-5RIBGO	LBX90L835-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-67QAM0	LBX90L835-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-BT03IX	LBX90L835-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-WD3N7B	LBX90L835-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-CN9M08	LBX90L835-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-TVZPCI	LBX90L835-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-J0Q64G	LBX90L835-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-A8ODTX	LBX90L835-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-2HTKRS	LBX90L835-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-TJUEQ7	LBX90L840-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-NRL6PI	LBX90L840-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-VQ0XLS	LBX90L840-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-XRYP09	LBX90L840-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-SZLQE8	LBX90L840-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-FQLCGO	LBX90L840-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-W7O3BX	LBX90L840-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-BT6DCK	LBX90L840-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-57MJQZ	LBX90L840-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-4EKVW2	LBX90L840-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-BW7ZFK	LBX90L840-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-0P1H4B	LBX90L840-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-0UIZTG	LBX90L840-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-APD68Y	LBX90L840-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-9BL5MJ	LBX90L850-[All voltage options]-[No optics]-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-T4LH2K	LBX90L850-[All voltage options]-[No optics]-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-T5F6PV	LBX90L850-[All voltage options]-[No optics]-FD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-QJ8WCK	LBX90L850-[All voltage options]-[No optics]-FD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-YR1ALT	LBX90L850-[All voltage options]-[No optics]-UD-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-ILEABN	LBX90L850-[All voltage options]-[No optics]-UD-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-EQ7WXR	LBX90L850-[All voltage options]-A-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-D1VTSG	LBX90L850-[All voltage options]-A-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Standard
S-F8LY73	LBX90L850-[All voltage options]-M-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-3ZQ5VC	LBX90L850-[All voltage options]-M-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-EGKCMX	LBX90L850-[All voltage options]-N-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-9MWFZX	LBX90L850-[All voltage options]-N-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-A5DWJ8	LBX90L850-[All voltage options]-W-[No diffuse lens]-[All battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium
S-UNI9D7	LBX90L850-[All voltage options]-W-[No diffuse lens]-[No battery backup options]-[All controls]	Low-Bay Luminaires for Commercial and Industrial Buildings	Premium