



MASTER LED spot PAR High Lumen

Master LED PAR30L 32W 30D 830

LEDspot, PAR30L, 50 W, E27, 3000 K, 3000 lm, 25000 hour(s)

LEDspot, PAR30L, 50 W, E27, 3000 K, 3000 lm, 25000 hour(s), 93.00 lm/W

Product data


General Information		Lamp Current (Nom)	
Cap-Base	E27		160 mA
Nominal lifetime	25,000 hour(s)	Wattage Equivalent	50 W
Switching Cycle	50,000	Starting Time (Nom)	0.5 s
Lighting Technology	LEDspot	Warm-up time to 60% light	0.5 s
		Power Factor (Fraction)	0.9
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	830 [CCT of 3000K]	T-Case Maximum (Nom)	79 °C
Beam Angle (Nom)	30 degree(s)		
Luminous Flux	3,000 lm	Controls and Dimming	
Color Designation	White (WH)	Dimmable	No
Correlated Color Temperature (Nom)	3000 K		
Luminous Efficacy (rated) (Nom)	93.00 lm/W	Mechanical and Housing	
Color Consistency	<6	Bulb Shape	PAR30L
Color rendering index (CRI)	82	Net Weight (Piece)	0.410 kg
LLMF At End Of Nominal Lifetime (Nom)	70 %		
Operating and Electrical		Approval and Application	
Line Frequency	50 to 60 Hz	Suitable For Accent Lighting	Yes
Input Frequency	50 to 60 Hz	Energy Consumption kWh/1000 h	32 kWh
Power Consumption	32 W	EU RoHS compliant	Yes

MASTER LED spot PAR High Lumen

Ambient temperature range	-20 °C to 45 °C
Application Conditions	
Wireless Technology	Not applicable
Product Data	
Order product name	Master LED PAR30L 32W 30D 830
Full product name	Master LED PAR30L 32W 30D 830
Full product code	871869673144400



Order code	929001354708
Material Nr. (12NC)	929001354708
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696731444
Numerator - Packs per outer box	6
EAN/UPC - Case	8718696731451

Dimensional drawing




Product	D	C
Master LED PAR30L 32W 30D 830	95.5 mm	129 mm

Photometric data



Light Distribution Diagram - Master LED PAR30L 32W 30D 830



Spectral Power Distribution Colour - Master LED PAR30L 32W 30D 830



Accent Lighting Spots - Master LED PAR30L 32W 30D 830

MASTER LED spot PAR High Lumen

Lifetime



LEDspot MAS 37W E27 PAR30L 830 15D ND

Lumen Maintenance Diagram - Master LED PAR30L 32W 30D 830

