



Essential LED spot GU10

CorePro LEDspot 4.9-65W GU10 830 36D

LEDspot, PAR16, 65 W, GU10, 3000 K, 520 lm, 15000 hour(s), Glass

Essential LEDspots are compatible with most existing fixtures with a GU10 socket and are designed as a retrofit replacement for halogen spots. Essential LEDspots deliver significant energy savings and minimize initial investment.

Product data

General Information	
Cap-Base	GU10
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LEDspot
Warranty period	1 years
Light Technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	36 degree(s)
Luminous Flux	520 lm
Luminous Intensity (Nom)	800 cd
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	106 lm/W
Color Consistency	<6
Color rendering index (CRI)	80

LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power Consumption	4.9 W
Lamp Current (Nom)	40 mA
Wattage Equivalent	65 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	75 °C
Controls and Dimming	
Dimmable	No

Essential LED spot GU10

Mechanical and Housing

Bulb Finish	Clear
Bulb Material	Glass
Bulb Shape	PAR16
Net Weight (Piece)	0.040 kg

Approval and Application

Suitable For Accent Lighting	Yes
EU RoHS compliant	Yes
Ambient temperature range	-20 to +45 °C


Application Conditions

Wireless Technology	Not applicable
---------------------	----------------

Product Data


Order product name	CorePro LEDspot 4.9-65W GU10 830 36D
Full product name	CorePro LEDspot 4.9-65W GU10 830 36D
Full product code	872016927571300
Order code	929002981071
Material Nr. (12NC)	929002981071
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8720169275713
Numerator - Packs per outer box	10
EAN/UPC - Case	8720169275720

Dimensional drawing




Product	D	C
CorePro LEDspot 4.9-65W GU10 830 36D	50 mm	54 mm

Photometric data



Light Distribution Diagram - CorePro LEDspot 4.9-65W GU10 830 36D



Spectral Power Distribution Colour - CorePro LEDspot 4.9-65W GU10 830 36D

