



Load controllers do the heavy lifting in the control system

Dynalite Load Controllers

Load controllers receive instructions from the network and adjust their controlled outputs as required. They contain all the elements – power supply, network ports, output circuits, and the microprocessor management – needed to operate the lighting groups for which they are responsible. All channel naming information, channel addressing, area addressing, and channel scene levels are stored within the memory of the load controller. Dynalite has a wide range of load controllers that can be mixed and matched to support various project requirements and multiple luminaire types. The load controller range features different types of output circuits for switching, leading/ trailing edge dimming, PWM dimming, DALI, and 0-10 V control. Controllers offer a range of channel capacities from 2-20A, as well as a choice of wall or DIN rail mounting options.

Application

- Industrial
- Education
- Healthcare
- Retail
- Hospitality

Dynalite Load Controllers

Versions



DDLEDC605GL Product Image



DDBC516FR Product Image



DMBC110 Product Image







DDBC120-DALI Product Image




DDMC802 Product Image

Dimensional drawing



Dynalite Load Controllers

Dimensional drawing



Product details




DDBC516FR 5 x 16A Signal Dimmer
Controller front



DDBC120-DALI MultiMaster DALI
Driver Controller



Detail photo of the DDLED605-
GL



DDMC802 front detail

Dynalite Load Controllers

Product details

Detail photo of the DMBC110

