



# A small and sustainable wallmount in a sleek, subtle design

## GreenSpace Evo Mini Wallmount

GreenSpace Evo Mini Wallmount is a sustainable wall mounted fixture that comes with a sleek and subtle design. This makes the wallmount an ideal choice for hospitality and fashion retail applications. The 3D printed housing is crafted from at least 65% recycled or bio-circular materials, while the heatsink is made from 85% recycled aluminium. Because of its circular design, the luminaire is upgradable, reusable, fully serviceable and recyclable. Combined with the high energy efficiency, this makes the GreenSpace Evo Mini wallmount a sustainable choice. The new PerfectAccent deep reflectors ensure a light effect with increased sparkle and improved shopper eye comfort. Further customization of colors and textures is possible via Philips MyCreation

### Benefits

- The sleek and subtle design fits perfectly in any installation
- More sparkle and enhanced shopper eye comfort with PerfectAccent deep reflectors
- Extend the useful life of the product with easy serviceability and upgradeability
- The recycled materials and high energy efficiency help further reduce the carbon footprint of the product

# GreenSpace Evo Mini Wallmount

## Features

- Serviceable and upgradeable with standard tools
- Reduced carbon footprint due to high efficacy
- Equipped with state-of-the-art PerfectAccent deep reflectors
- Connectivity options: Interact compatible DALI (DIA) and Wireless (WIA)
- Optional front glass (recommended for dusty environments)

## Application

- Fashion
- Hospitality
- Residential

## Warnings and Safety


- Cleaning of the optic should only be done with pressurized air. Touching the LED or reflector is forbidden. For food preparation areas and areas with high levels of dust, the use of the optional front glass is strongly advised, as it can be cleaned with a (dry) microfiber cloth

## Versions



WL321W WL322W GreenSpace Evo  
Mini Wallmount White

## Dimensional drawing



# GreenSpace Evo Mini Wallmount

## Product details



WL322W Up- and downward light effect



WL321W Downward light effect



WL322W Up- and downward light effect



WL321W Downward light effect



WL321W Downward light effect



WL322W Up- and downward light effect

# GreenSpace Evo Mini Wallmount

## General Information

Driver included	Yes
Number of gear units	1 unit

## Light Technical

Correlated Color Temperature (Nom)	3000 K
Color rendering index (CRI)	>90

## Operating and Electrical

Protection class IEC	Safety class II
Input Voltage	220 to 240 V
Line Frequency	50 to 60 Hz
Suitable for random switching	Not applicable

## Mechanical and Housing

Mech. impact protection code	IK02
Ingress protection code	IP20

## Approval and Application

Ambient temperature range	+10 to +35 °C
CE mark	Yes
ENEC mark	-
Flammability mark	-
Glow-wire test	Temperature 650 °C, duration 30 s

## Initial Performance (IEC Compliant)

Initial chromaticity	(0.422, 0.386) SDCM <2
Luminous flux tolerance	+/-10%

## Light Technical

Order Code	Full Product Name	Luminous Efficacy (rated)		Optic type
		(Nom)	Luminous Flux	
910505104903	WL321W 8S/PW930 PSU HMB FG BK482	118 lm/W	800 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104904	WL321W 10S/PW930 PSU HMB FG BK482	123 lm/W	1.000 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104905	WL321W 12S/PW930 PSU HMB FG BK482	126 lm/W	1.300 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104906	WL321W 12S/PW930 WIA HWB FG BK482	126 lm/W	1.300 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104915	WL322W 8S/PW930 PSU HMB FG BK482	138 lm/W	1.600 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104916	WL322W 10S/PW930 PSU HMB FG BK482	138 lm/W	2.100 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104917	WL322W 12S/PW930 PSU HMB FG BK482	136 lm/W	2.600 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104918	WL322W 12S/PW930 WIA HVWB FG BK482	137 lm/W	2.600 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104922	WL322W 12S/PW930 WIA HWB FG BK482	137 lm/W	2.600 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104923	WL322W 12S/PW930 PSU HWB FG BK482	136 lm/W	2.600 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104924	WL322W 12S/PW930 DIA HWB FG BK482	136 lm/W	2.600 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104898	WL321W 8S/PW930 PSU HMB FG WH481	118 lm/W	800 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104899	WL321W 10S/PW930 PSU HMB FG WH481	123 lm/W	1.000 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104901	WL321W 12S/PW930 PSU HMB FG WH481	126 lm/W	1.300 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104902	WL321W 12S/PW930 WIA HWB FG WH481	126 lm/W	1.300 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104911	WL322W 8S/PW930 PSU HMB FG WH481	138 lm/W	1.600 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104912	WL322W 10S/PW930 PSU HMB FG WH481	138 lm/W	2.100 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104913	WL322W 12S/PW930 PSU HMB FG WH481	136 lm/W	2.600 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104914	WL322W 12S/PW930 WIA HWB FG WH481	137 lm/W	2.600 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104907	WL321W 8S/PW930 PSU HMB FG GR482	118 lm/W	800 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104908	WL321W 10S/PW930 PSU HWB FG GR482	123 lm/W	1.000 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104909	WL321W 12S/PW930 PSU HVWB FG GR482	126 lm/W	1.300 lm	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104910	WL321W 12S/PW930 WIA HMB FG GR482	126 lm/W	1.300 lm	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104919	WL322W 10S/PW930 PSU HWB FG GR482	138 lm/W	2.100 lm	High-reflective metal reflector Medium beam 20 to 40 degrees

# GreenSpace Evo Mini Wallmount

Order Code	Full Product Name	Luminous Efficacy (rated)		
		(Nom)	Luminous Flux	Optic type
910505104920	WL322W 12S/PW930 PSU HVWB FG GR482	136 lm/W	2.600 lm	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104921	WL322W 12S/PW930 WIA HMB FG GR482	137 lm/W	2.600 lm	High-reflective metal reflector Medium beam 20 to 40 degrees

## Operating and Electrical

Order Code	Full Product Name	Power Consumption
910505104903	WL321W 8S/PW930 PSU HMB FG BK482	6.7 W
910505104904	WL321W 10S/PW930 PSU HMB FG BK482	8.5 W
910505104905	WL321W 12S/PW930 PSU HMB FG BK482	10.3 W
910505104906	WL321W 12S/PW930 WIA HWB FG BK482	10.3 W
910505104915	WL322W 8S/PW930 PSU HMB FG BK482	11.7 W
910505104916	WL322W 10S/PW930 PSU HMB FG BK482	15.3 W
910505104917	WL322W 12S/PW930 PSU HMB FG BK482	19.2 W
910505104918	WL322W 12S/PW930 WIA HVWB FG BK482	18.9 W
910505104922	WL322W 12S/PW930 WIA HWB FG BK482	18.9 W
910505104923	WL322W 12S/PW930 PSU HWB FG BK482	19.2 W
910505104924	WL322W 12S/PW930 DIA HWB FG BK482	19.2 W
910505104898	WL321W 8S/PW930 PSU HMB FG WH481	6.7 W
910505104899	WL321W 10S/PW930 PSU HMB FG WH481	8.5 W

Order Code	Full Product Name	Power Consumption
910505104901	WL321W 12S/PW930 PSU HMB FG WH481	10.3 W
910505104902	WL321W 12S/PW930 WIA HWB FG WH481	10.3 W
910505104911	WL322W 8S/PW930 PSU HMB FG WH481	11.7 W
910505104912	WL322W 10S/PW930 PSU HMB FG WH481	15.3 W
910505104913	WL322W 12S/PW930 PSU HMB FG WH481	19.2 W
910505104914	WL322W 12S/PW930 WIA HWB FG WH481	18.9 W
910505104907	WL321W 8S/PW930 PSU HMB FG GR482	6.7 W
910505104908	WL321W 10S/PW930 PSU HWB FG GR482	8.5 W
910505104909	WL321W 12S/PW930 PSU HVWB FG GR482	10.3 W
910505104910	WL321W 12S/PW930 WIA HMB FG GR482	10.3 W
910505104919	WL322W 10S/PW930 PSU HWB FG GR482	15.3 W
910505104920	WL322W 12S/PW930 PSU HVWB FG GR482	19.2 W
910505104921	WL322W 12S/PW930 WIA HMB FG GR482	18.9 W

## Controls and Dimming

Order Code	Full Product Name	Dimmable
910505104903	WL321W 8S/PW930 PSU HMB FG BK482	No
910505104904	WL321W 10S/PW930 PSU HMB FG BK482	No
910505104905	WL321W 12S/PW930 PSU HMB FG BK482	No
910505104906	WL321W 12S/PW930 WIA HWB FG BK482	Yes
910505104915	WL322W 8S/PW930 PSU HMB FG BK482	No
910505104916	WL322W 10S/PW930 PSU HMB FG BK482	No
910505104917	WL322W 12S/PW930 PSU HMB FG BK482	No
910505104918	WL322W 12S/PW930 WIA HVWB FG BK482	Yes
910505104922	WL322W 12S/PW930 WIA HWB FG BK482	Yes
910505104923	WL322W 12S/PW930 PSU HWB FG BK482	No
910505104924	WL322W 12S/PW930 DIA HWB FG BK482	Yes
910505104898	WL321W 8S/PW930 PSU HMB FG WH481	No
910505104899	WL321W 10S/PW930 PSU HMB FG WH481	No

Order Code	Full Product Name	Dimmable
910505104901	WL321W 12S/PW930 PSU HMB FG WH481	No
910505104902	WL321W 12S/PW930 WIA HWB FG WH481	Yes
910505104911	WL322W 8S/PW930 PSU HMB FG WH481	No
910505104912	WL322W 10S/PW930 PSU HMB FG WH481	No
910505104913	WL322W 12S/PW930 PSU HMB FG WH481	No
910505104914	WL322W 12S/PW930 WIA HWB FG WH481	Yes
910505104907	WL321W 8S/PW930 PSU HMB FG GR482	No
910505104908	WL321W 10S/PW930 PSU HWB FG GR482	No
910505104909	WL321W 12S/PW930 PSU HVWB FG GR482	No
910505104910	WL321W 12S/PW930 WIA HMB FG GR482	Yes
910505104919	WL322W 10S/PW930 PSU HWB FG GR482	No
910505104920	WL322W 12S/PW930 PSU HVWB FG GR482	No
910505104921	WL322W 12S/PW930 WIA HMB FG GR482	Yes

## Mechanical and Housing

Order Code	Full Product Name	Housing Color
910505104903	WL321W 8S/PW930 PSU HMB FG BK482	Black
910505104904	WL321W 10S/PW930 PSU HMB FG BK482	Black
910505104905	WL321W 12S/PW930 PSU HMB FG BK482	Black
910505104906	WL321W 12S/PW930 WIA HWB FG BK482	Black
910505104915	WL322W 8S/PW930 PSU HMB FG BK482	Black
910505104916	WL322W 10S/PW930 PSU HMB FG BK482	Black
910505104917	WL322W 12S/PW930 PSU HMB FG BK482	Black


Order Code	Full Product Name	Housing Color
910505104918	WL322W 12S/PW930 WIA HVWB FG BK482	Black
910505104922	WL322W 12S/PW930 WIA HWB FG BK482	Black
910505104923	WL322W 12S/PW930 PSU HWB FG BK482	Black
910505104924	WL322W 12S/PW930 DIA HWB FG BK482	Black
910505104898	WL321W 8S/PW930 PSU HMB FG WH481	White
910505104899	WL321W 10S/PW930 PSU HMB FG WH481	White
910505104901	WL321W 12S/PW930 PSU HMB FG WH481	White

## GreenSpace Evo Mini Wallmount


Order Code	Full Product Name	Housing Color
910505104902	WL321W 12S/PW930 WIA HWB FG WH481	White
910505104911	WL322W 8S/PW930 PSU HMB FG WH481	White
910505104912	WL322W 10S/PW930 PSU HMB FG WH481	White
910505104913	WL322W 12S/PW930 PSU HMB FG WH481	White
910505104914	WL322W 12S/PW930 WIA HWB FG WH481	White
910505104907	WL321W 8S/PW930 PSU HMB FG GR482	Gray
910505104908	WL321W 10S/PW930 PSU HWB FG GR482	Gray
910505104909	WL321W 12S/PW930 PSU HVWB FG GR482	Gray
910505104910	WL321W 12S/PW930 WIA HMB FG GR482	Gray
910505104919	WL322W 10S/PW930 PSU HWB FG GR482	Gray
910505104920	WL322W 12S/PW930 PSU HVWB FG GR482	Gray
910505104921	WL322W 12S/PW930 WIA HMB FG GR482	Gray

# GreenSpace Evo Mini Wallmount


## Polar Wide Diagrams




Polar Normal (separate) - WL320WI -  
910505104920




Polar Normal (separate) - WL320WI -  
910505104909




Polar Normal (separate) - WL320WI -  
910505104898




Polar Normal (separate) - WL320WI -  
910505104906




Polar Normal (separate) - WL320WI -  
910505104905




Polar Normal (separate) - WL320WI -  
910505104910



Polar Normal (separate) - WL320WI -  
910505104921




Polar Normal (separate) - WL320WI -  
910505104907




Polar Normal (separate) - WL320WI -  
910505104903

# GreenSpace Evo Mini Wallmount


## Polar Wide Diagrams




Polar Normal (separate) - WL320WI -  
910505104919




Polar Normal (separate) - WL320WI -  
910505104924




Polar Normal (separate) - WL320WI -  
910505104922




Polar Normal (separate) - WL320WI -  
910505104913




Polar Normal (separate) - WL320WI -  
910505104902




Polar Normal (separate) - WL320WI -  
910505104923



Polar Normal (separate) - WL320WI -  
910505104899




Polar Normal (separate) - WL320WI -  
910505104917




Polar Normal (separate) - WL320WI -  
910505104904

# GreenSpace Evo Mini Wallmount


## Polar Wide Diagrams




Polar Normal (separate) - WL320WI -  
910505104901




Polar Normal (separate) - WL320WI -  
910505104911




Polar Normal (separate) - WL320WI -  
910505104912




Polar Normal (separate) - WL320WI -  
910505104914




Polar Normal (separate) - WL320WI -  
910505104916



Polar Normal (separate) - WL320WI -  
910505104918



Polar Normal (separate) - WL320WI -  
910505104915



Polar Normal (separate) - WL320WI -  
910505104908

## GreenSpace Evo Mini Wallmount

