



# MSD Platinum – The power to light your creativity

## MSD Platinum (Touring/Stage)

The MSD Platinum lamps open up new levels of creative freedom in entertainment lighting, with powerful, compact and brilliantly intense light. Their compact, lightweight design provides the freedom to create smaller, lighter luminaires – for use at any location on stage. And their short arc, high color temperature and innovative reflector produce a sparkling, high beam intensity for outstanding color reproduction. They also offer long and reliable lifetime, high efficacy and fast replacement times. It all adds up to an intensely exciting creative experience.

### Benefits

- High beam intensity
- Freedom to create smaller and lighter fixtures
- High perceived brightness
- A long and reliable performance

### Features

- Very short arc
- Compact system
- High correlated color temperature
- Philips Platinum technology

### Application

- Events
- Shows/Theater
- Touring/Stage

# MSD Platinum (Touring/Stage)

## Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

## Versions




XPPR\_XDMSD\_0002-Product photo




XPPR XDMSD 0003

## Dimensional drawing



Product	D (max)	T (max)	O	C (max)
MSD Platinum 14 R 1CT/8	51.5 mm	6.8 mm	0.95 mm	57.1 mm



Product	D (max)	O	C (max)
MSD Platinum 15 R 1CT/8	58.5 mm	1.3 mm	66.4 mm

# MSD Platinum (Touring/Stage)

## General Information

Cap-Base	-
Operating Position	UNIVERSAL

## Light Technical

Color rendering index (CRI)	-
Color Code	2

## Controls and Dimming

Dimmable	Yes
----------	-----

## Light Technical

Order Code	Full Product Name	Correlated Color		
		Temperature (Nom)	Luminous Flux (Min)	Luminous Flux
928191605314	MSD Platinum 15 R 1CT/8	8000 K	11,000 lm	13,500 lm

Order Code	Full Product Name	Correlated Color		
		Temperature (Nom)	Luminous Flux (Min)	Luminous Flux
928196105314	MSD Platinum 14 R 1CT/8	7800 K	-	12,350 lm

## Operating and Electrical

Order Code	Full Product Name	Power Consumption
928191605314	MSD Platinum 15 R 1CT/8	300 W

Order Code	Full Product Name	Power Consumption
928196105314	MSD Platinum 14 R 1CT/8	280 W

